



SUSPENSION ORDER FORM

CUSTOMER		DELIVERY ADDRESS			
CONTACT		PHONE		E-MAIL	

ORDER No.		ORDER DATE		DATE REQUIRED	
QTY REQUIRED		QUOTE No.		JOB / CHASSIS No.	

Circle the applicable:

NUMBER OF AXLES	SINGLE	TANDEM	TRI	QUAD
TYPE OF TRAILER	SEMI	B-DOUBLE A	B-DOUBLE B	ROAD TRAIN
	3 AXLE DOG	4 AXLE DOG	DOLLY	TIP OVER AXLE

SELECT THE SUSPENSION TYPE:	☐	MF	MECHANICAL	SPRING (FUWA)
	☐	AKT	AIR	SPRING (FUWA)
	☐	AKI	AIR	SPRING (FUWA)
	☐	AW	AIR	SPRING (WEWELER)

DO YOU REQUIRE FKH TO WELD THE TRAILING ARMS TO AXLES?	☐	NO	→ SELECT THE HANGER CENTRES BELOW		
	☐	YES			
	☐	930mm		☐	960mm
	☐	980mm	AW only	☐	OTHER

MF

1	SUSPENSION MODEL	2	NUMBER OF AXLES	3	AXLE SPREAD
☐	KHDO CAST OVERSLUNG	☐	4 QUAD	☐	A SINGLE AXLE
☐	KHU CAST UNDERSLUNG	☐	3 TRI	☐	B 1232mm / 8.1'
☐	KF68 11.5T FABRICATED	☐	2 TANDEM	☐	C 1384mm / 9.1'
☐	KF86 13T FABRICATED	☐	1 SINGLE	☐	D 1538mm / 10.1'
☐	KF88 17T FABRICATED				
4	SPRING PACK	5	FOR FAB SUSP ONLY!	NOTE:	
☐	3 THREE LEAFS	☐	O OVERSLUNG	Add D/B to P/N for Draw-Bar hanger.	
☐	8 EIGHT LEAFS	☐	U UNDERSLUNG	Add 2 to P/N for 2" seat and add 25mm to RH	
☐	9 NINE LEAFS			Add 3 to P/N for 3" seat and add 50mm to RH	
☐	13 THIRTEEN LEAFS				

Select the required code and create the assembly part number						
1	2	3	4	5	Add	Add

AKT

1	SUSPENSION TYPE	2	RIDE HEIGHT	OPTIONAL KITS	
☐	T OVERSLUNG	☐	190 190mm U	☐	AXLE LIFT
☐	U UNDERSLUNG	☐	228 228mm U	☐	RAISE / LOWER
		☐	305 305mm U	☐	AIR DUMP
		☐	380 380mm T	☐	AIR GAUGE
		☐	430 430mm T		

Note: Other RIDE HEIGHTS might be available. Check with FKH

		2		
KT		0		



SUSPENSION ORDER FORM

AKI

1	SUSPENSION TYPE	
	T	OVERSLUNG
	U	UNDERSLUNG

2	RIDE HEIGHT	
	230	230mm U
	380	380mm T
	430	430mm T

OPTIONAL KITS	
	AXLE LIFT
	RAISE / LOWER
	AIR DUMP
	AIR GAUGE

Note: Other RIDE HEIGHTS might be available. Check with FKH

3	WHEEL BEARING	
	B	Parallel Bearing (FP)
	CB	ConMet Preset Parallel

4	LUBRICATION	
	F	Semi Fluid
	G	Grease

5	TRACK	
	73	1850 mm

6	HUB	
	15	Steel Hub 10x285
	18	Alu Preset + Hub 10x285
	22	Alu Preset + Hub 10x335

7	STUD	
	L	Long

8	BRAKE	
	W	Drum, auto slack adjusters
	D	Disc Brake

9	DISC SIZE	
	19	Pan 19 / SN6 (Ø377 mm)
	22	Pan 22 / SC7 (Ø430 mm)

10	OPTIONS	
	ABS	With ABS Sensors

		2	3	4	5	6	7	8	9	10
KI	25K				73		L			

AW

1	SUSPENSION MODEL	
	U	ULTRA LITE 9T 1 LEAF
	E	EURO 9T 2 LEAF
	H	HEAVY DUTY 11T
	H+	HEAVY DUTY 13T

2	HANGER TYPE	
	CW	STANDARD

3	TRAILING ARM	
	HG	UL 230 1 LEAF 48mm
	HE	UL 375 1 LEAF 48mm
	DG	EURO 230 2 LEAF 35mm
	DE	EURO 375,425 2 LEAF
	BJ	HD 11t 240 2LEAF 35&45
	GE	HD 11t 390,425,440 2LEAF
	CE	HD+ 13t 390 2 LEAF 45&45
	BG	HD 11t 195 2 LEAF

4	CLAMP GROUP	
	5	STANDARD for Ø127 AXLE

5	AIR SPRING	
	30	UL & EURO
	36	HD & HD+

6	RIDE HEIGHT	
	195	195mm HD US
	230	230mm UL&EURO US
	240	240mm HD US
	375	375mm UL&EURO OS
	390	390mm HD&HD+ OS
	425	425mm UL, EURO, HD OS
	440	440mm HD OS

7	OFF SET	
	50	50mm STD. for EURO configurable to 30mm
	56	56mm 195mm RH HD only
	65	65mm STD for UL configurable to 20mm
	95	95mm STD for HD&HD+ configurable to 30&50mm

NOTE For rear shocker mount options, contact FKH

Select the required code and create the assembly part number						
1	2	3	4	5	6	7
	CW		5			

OPTIONAL KITS	
	AXLE LIFT
	RAISE / LOWER
	AIR DUMP
	AIR GAUGE

SUSPENSION ORDER FORM

MODULAR BOLT-ON SOLUTIONS

2	MBS SUSPENSION CODE		3	WHEEL BEARING		4	LUBRICATION	
	111	RH 210-320mm		CB	ConMet Preset + TP		G	Grease
	221	RH 340-410mm		B	TP (Parallel Spindle)		F	Oil / Semifluid
6	HUB		8	BRAKE		9	SLACK ADJ	
	15	Steel Hub 10x285		V	Centrifuse Drums		-	Manual Slack Adjuster
	16	Steel Hub 10x335		Z	Truturn Drums		W	Auto Slack Adjuster
	18	Alu Preset + Hub 10x285		D	Disc Brake Pan22			
			10	HANGER				
				-	Standard			
				D	Drawbar Option			

1	2	3	4	5	6	7	8	9	10
MBS				73		L			

AIR KITS FOR AIR SUSPENSIONS

1	MAKE		2	NUMBER OF AXLES		3	APPLICATION	
	W	WEWELER (only)		1			O	OVERSLUNG
				2			U	UNDERSLUNG
4	TANK OPTION			3			AD	DOG TRAILER
	T	WITH TANK		4				

1	2	3	4
	ACK		

OTHER	Please specify: _____
--------------	-----------------------

BRAKE KITS & BOOSTERS

Insert the number of kits and/or boosters you want to order, next to the relevant description.

QTY	BRAKE KIT
	SINGLE AXLE TAG
	TANDEM LEAD
	TANDEM TAG
	TRI LEAD
	TRI TAG

QTY	BRAKE KIT
	QUAD LEAD
	QUAD TAG
	TANDEM DOG
	TRI DOG
	QUAD DOG

QTY	DRUM BRAKE BOOSTERS
	TYPE 30/30
	TYPE 24/30
	TYPE 30
	TYPE 24
	OTHER _____

QTY	DISC BRAKE BOOSTERS
	TYPE 16/24 0° 90°
	TYPE 16/20 0° 90°
	TYPE 14/16 0° 90°
	TYPE 12/16 0° 90°
	OTHER _____ 0° 90°